Women’s Patchwork Granny Crochet Shirt and Shorts Set Pattern



1. SKILL LEVEL

Advanced intermediate.

This pattern uses modular granny-square construction, contrast patchwork layout, joined shirt panels, short sleeves, button band, buttonholes, fold-over collar, matching granny

shorts, crotch bridge construction, waistband eyelets, drawstring, contrast edging, and full assembly.

---

2. FINISHED SIZE

Single adult size: Small / Medium relaxed fit.

Shirt Finished Measurements

Area	Measurement
Chest circumference	45 in / 114 cm
Back width	22.5 in / 57 cm
Each front width before button band	11.25 in / 28.5 cm
Shirt length from shoulder	24.5 in / 62 cm
Square section length	22.5 in / 57 cm
Armhole depth	7.5 in / 19 cm
Sleeve circumference	15 in / 38 cm
Sleeve length	7.5 in / 19 cm
Button band width	0.9 in / 2.3 cm
Collar depth	2.5 in / 6.5 cm

Shorts Finished Measurements

Area	Measurement
Waist circumference before drawstring	45 in / 114 cm
Adjustable waist fit	28–34 in / 71–86 cm
Hip circumference	45 in / 114 cm
Shorts length from waist	14 in / 35.5 cm
Inseam	3.75 in / 9.5 cm
Each leg opening circumference	22.5 in / 57 cm
Drawstring length	58 in / 147 cm

Motif Gauge

Gauge Area	Measurement
One granny square after blocking	3.75 in x 3.75 in / 9.5 cm x 9.5 cm
Final granny square side count	19 side positions
Final granny square corner	ch-2 corner space
Single crochet edging	18 sc = 4 in / 10 cm

---

3. MATERIALS

Material	Amount
DK cotton yarn, dark navy	420–500 g
DK cotton yarn, ivory cream	300–380 g
DK cotton yarn, warm taupe / beige	160–220 g
Crochet hook for granny squares	4 mm
Crochet hook for bands, edging, drawstrings	3.5 mm
White buttons, 14–16 mm	7
Stitch markers	24
Yarn needle	1
Sewing needle and matching thread	Required
Blocking pins	Required
Measuring tape	Required

Color labels:

- Color A: dark navy
- Color B: ivory cream
- Color C: warm taupe / beige

---

4. STITCH ABBREVIATIONS

US crochet terms.

Abbreviation	Meaning
ch	chain
sl st	slip stitch
sc	single crochet
hdc	half double crochet
dc	double crochet
BLO	back loop only
st / sts	stitch / stitches
sp	space
rnd	round
RS	right side
WS	wrong side
rep	repeat
sk	skip
FO	fasten off

Stitch Definitions

Single Crochet:

Insert hook into indicated stitch, yarn over, pull up loop, yarn over, pull through both loops.

Half Double Crochet:

Yarn over, insert hook into indicated stitch, yarn over, pull up loop, yarn over, pull through all 3 loops.

Double Crochet:

Yarn over, insert hook into indicated stitch, yarn over, pull up loop, yarn over and pull through 2 loops, yarn over and pull through final 2 loops.

Back Loop Only Single Crochet:

Work sc into the back loop only of the indicated stitch.

Reverse Single Crochet:

Working from left to right, insert hook into previous stitch, yarn over, pull up loop, yarn over, pull through both loops.

Padded Drawstring Cord:

Chain the stated number, then sl st in the back bump of 2nd ch from hook and in each back bump across. This creates a firm rounded cord.

5-Round Granny Square Motif

Each square finishes with 19 side positions per side and 4 ch-2 corner spaces.

Work every square with the color sequence listed in the motif color chart.

Rnd 1: Ch 4, sl st to first ch to form ring. Ch 3, 2 dc in ring, ch 2, *3 dc in ring, ch 2; rep from * 3 times. Sl st to top of beginning ch-3.

Count: 4 clusters of 3 dc, 4 corner ch-2 spaces.

Rnd 2: Sl st into next corner ch-2 sp. Ch 3, 2 dc in same corner, ch 2, 3 dc in same corner, ch 1, *(3 dc, ch 2, 3 dc) in next corner ch-2 sp, ch 1; rep from * 3 times. Sl st to top of beginning ch-3.

Side count: 7 positions per side.

Rnd 3: Sl st into next corner ch-2 sp. Ch 3, 2 dc in same corner, ch 2, 3 dc in same corner, ch 1, 3 dc in next ch-1 sp, ch 1, *(3 dc, ch 2, 3 dc) in next corner ch-2 sp, ch 1, 3 dc in next ch-1 sp, ch 1; rep from * 3 times. Sl st to top of beginning ch-3.

Side count: 11 positions per side.

Rnd 4: Sl st into next corner ch-2 sp. Ch 3, 2 dc in same corner, ch 2, 3 dc in same corner, ch 1, *3 dc in next ch-1 sp, ch 1; rep from * to next corner, **(3 dc, ch 2, 3 dc) in next corner ch-2 sp, ch 1, *3 dc in next ch-1 sp, ch 1; rep from * to next corner; rep from ** 3 times. Sl st to top of beginning ch-3.

Side count: 15 positions per side.

Rnd 5: Sl st into next corner ch-2 sp. Ch 3, 2 dc in same corner, ch 2, 3 dc in same corner, ch 1, *3 dc in next ch-1 sp, ch 1; rep from * to next corner, **(3 dc, ch 2, 3 dc) in next corner ch-2 sp,

ch 1, *3 dc in next ch-1 sp, ch 1; rep from * to next corner; rep from ** 3 times. Sl st to top of beginning ch-3.

Side count: 19 positions per side.

FO and weave in ends.

Block each square to exactly 3.75 in x 3.75 in / 9.5 cm x 9.5 cm.

Square Color Types

Type	Rnd 1	Rnd 2	Rnd 3	Rnd 4	Rnd 5
N	Navy	Navy	Navy	Navy	Cream
C	Cream	Cream	Cream	Cream	Navy
T	Taupe	Taupe	Taupe	Cream	Navy
S	Navy	Cream	Navy	Cream	Navy
L	Cream	Navy	Cream	Navy	Cream
M	Taupe	Cream	Taupe	Navy	Cream

Total squares required:

Garment Section	Quantity
Shirt back	36
Shirt left front	18
Shirt right front	18
Shirt sleeves	16
Shorts upper body	24
Shorts leg extensions	12
Total squares	124

5. PARTS LIST

Part	Quantity	Color / Style
Granny squares	124	Navy / cream / taupe mix
Shirt back panel	1	6 squares wide x 6 squares high
Shirt left front panel	1	3 squares wide x 6 squares high
Shirt right front panel	1	3 squares wide x 6 squares high
Shirt left sleeve tube	1	4 squares around x 2 squares high
Shirt right sleeve tube	1	4 squares around x 2 squares high
Right button band	1	Navy
Left buttonhole band	1	Navy
Fold-over collar	1	Navy
Shirt hem edging	1	Navy
Sleeve edgings	2	Navy
Shorts upper tube	1	12 squares around x 2 squares high
Shorts left leg extension	1	6 squares around x 1 square high
Shorts right leg extension	1	6 squares around x 1 square high
Crotch bridge	1	Cream
Shorts waistband edging	1	Navy

Shorts leg edgings	2	Navy
Shorts drawstring	1	Navy
Buttons	7	White

---

6. CONSTRUCTION OVERVIEW

1. Crochet 124 granny squares using the written 5-round square pattern.
2. Block every square to 3.75 in x 3.75 in.
3. Join 36 squares into the shirt back panel.
4. Join 18 squares into each shirt front panel.
5. Join shoulder seams, leaving a center back neck opening and front neckline openings.
6. Join side seams, leaving the upper 2 square rows open for armholes.
7. Join sleeve squares into two sleeve tubes.
8. Attach sleeve tubes to armholes.
9. Work button band, buttonhole band, hem edging, sleeve edging, and collar.
10. Sew buttons.
11. Join 24 squares into the shorts upper body tube.
12. Crochet and attach the crotch bridge.
13. Join 6 squares into each shorts leg extension tube.
14. Attach leg extensions to the lower body.
15. Work waistband edging, leg edgings, and drawstring.
16. Block both garments to final measurements.

---

7. PART-BY-PART INSTRUCTIONS

SHIRT BACK PANEL

Make 36 granny squares.

Arrange 6 squares wide x 6 squares high.

Rows are listed from top to bottom.

Back Row	Square Types, Left to Right
Row 1	N, C, S, N, T, C
Row 2	L, N, C, T, N, S
Row 3	C, S, N, L, C, N
Row 4	N, T, C, N, S, T
Row 5	S, C, N, T, C, N
Row 6	N, L, T, C, N, S

Join Back Squares

Use navy yarn and 4 mm hook.

Join each square with WS together and RS facing outward.

For every side join:

- Sl st through the back loop of one square side position and the back loop of the matching square side position.
- Work across all 19 side positions.
- Work 1 sl st through both matching corner ch-2 spaces.

Count per square-to-square side join: 20 sl sts.

Horizontal joins:

- Join Row 1 squares into one strip.
- Join Row 2 squares into one strip.
- Join Row 3 squares into one strip.
- Join Row 4 squares into one strip.
- Join Row 5 squares into one strip.
- Join Row 6 squares into one strip.

Each 6-square strip has 5 joins.

Count per strip: 5 joins x 20 sl sts = 100 sl sts.

Vertical joins:

Join Row 1 to Row 2, Row 2 to Row 3, Row 3 to Row 4, Row 4 to Row 5, and Row 5 to Row 6.

Each horizontal seam across panel:

- 6 square edges x 19 side positions = 114 side positions.
- 5 internal corner joins = 5 sl sts.
- Total per row-to-row seam: 119 sl sts.

Back panel completed size: 22.5 in wide x 22.5 in high.

LEFT FRONT SHIRT PANEL AS WORN

Make 18 granny squares.

Arrange 3 squares wide x 6 squares high.

Rows are listed from top to bottom.

Left Front Row	Square Types, Center Front to Side Seam
Row 1	C, N, T
Row 2	N, L, C
Row 3	S, C, N
Row 4	T, N, C
Row 5	C, S, N
Row 6	N, T, L

Join using the same 20-sl-st side join method.

Horizontal row joins:

- Each 3-square strip has 2 joins.
- Count per strip: 2 joins x 20 sl sts = 40 sl sts.

Vertical row-to-row joins:

- Each seam across 3 squares has 57 side positions plus 2 internal corner joins.
- Count per row-to-row seam: 59 sl sts.

Left front panel completed size: 11.25 in wide x 22.5 in high.

RIGHT FRONT SHIRT PANEL AS WORN

Make 18 granny squares.

Arrange 3 squares wide x 6 squares high.

Rows are listed from top to bottom.

Right Front Row	Square Types, Side Seam to Center Front
Row 1	T, N, C
Row 2	C, L, N
Row 3	N, C, S
Row 4	C, N, T
Row 5	N, S, C
Row 6	L, T, N

Join using the same 20-sl-st side join method.

Horizontal row joins:

- Each 3-square strip has 2 joins.
- Count per strip: 40 sl sts.

Vertical row-to-row joins:

- Count per row-to-row seam: 59 sl sts.

Right front panel completed size: 11.25 in wide x 22.5 in high.

SHIRT SHOULDER SEAMS

Use navy yarn and yarn needle.

Place panels RS together.

Back panel has 6 squares across the top.

Shoulder layout:

Area	Back Top Edge
Right shoulder	Outer 2 squares
Back neck opening	Center 2 squares
Left shoulder	Outer 2 squares

Left shoulder seam:

- Sew left front top outer 2 square edges to left back top outer 2 square edges.
- 2 square edges x 19 positions = 38 stitches.

Right shoulder seam:

- Sew right front top outer 2 square edges to right back top outer 2 square edges.
- 2 square edges x 19 positions = 38 stitches.

Back neck left open:

- Center 2 square edges = 38 positions.

Front neck openings left open:

- Inner top edge of each front panel = 19 positions.

SHIRT SIDE SEAMS

Use navy yarn and yarn needle.

Each side seam is sewn from hem upward.

Left side seam:

- Sew the lower 4 square rows together.
- Each square row edge has 19 positions.
- 4 square rows x 19 positions = 76 sewing points.
- Leave the upper 2 square rows open for armhole.

Right side seam:

- Sew the lower 4 square rows together.
- Count: 76 sewing points.
- Leave the upper 2 square rows open for armhole.

Each armhole opening:

Area	Count
Front armhole edge	2 square sides x 19 = 38
Back armhole edge	2 square sides x 19 = 38
Total armhole edge	76 positions

LEFT SHIRT SLEEVE

Make 8 granny squares.

Sleeve layout:

Sleeve Row	4 Squares Around
Upper row	N, C, S, T
Lower row	C, N, L, S

Join each row into a 4-square ring.

For each 4-square ring:

- Join Square 1 to Square 2: 20 sl sts.
- Join Square 2 to Square 3: 20 sl sts.
- Join Square 3 to Square 4: 20 sl sts.
- Join Square 4 to Square 1: 20 sl sts.
- Total ring joins: 80 sl sts.

Join upper ring to lower ring:

- 4 square edges x 19 positions = 76 side positions.
- 4 corner joins = 4 sl sts.
- Total row-to-row sleeve seam: 80 sl sts.

Sleeve top edge count: 76 positions.

Sleeve lower edge count: 76 positions.

RIGHT SHIRT SLEEVE

Make same as left sleeve with this layout:

Sleeve Row	4 Squares Around
Upper row	T, S, C, N
Lower row	S, L, N, C

Counts:

- Sleeve squares: 8
- Upper edge: 76 positions
- Lower edge: 76 positions
- Row-to-row seam: 80 sl sts

ATTACH SLEEVES TO ARMHOLES

Use navy yarn and yarn needle.

For each sleeve:

1. Turn shirt WS out.
2. Keep sleeve RS facing outward.
3. Insert sleeve into armhole with RS together.
4. Match sleeve seam to underarm seam.
5. Match opposite sleeve seam to shoulder seam.
6. Sew sleeve top edge to armhole edge.

Count match:

Area	Count
Sleeve top edge	76 positions
Armhole edge	76 positions
Sewing ratio	1 sleeve position to 1 armhole position

Repeat for second sleeve.

RIGHT BUTTON BAND AS WORN

Use navy yarn and 3.5 mm hook.

With RS facing, join yarn at lower right front opening.

The right front opening is 6 square edges high.

Pickup count:

- 6 square edges x 19 positions = 114 sc.

Row 1 Pickup: Ch 1. Work 114 sc evenly up the right front opening.

Count: 114 sc.

Row 2: Ch 1, turn. Sc in each st across.

Count: 114 sc.

Row 3: Ch 1, turn. Sc in each st across.

Count: 114 sc.

Row 4: Ch 1, turn. Sc BLO in each st across.

Count: 114 sc.

Row 5: Ch 1, turn. Sc in each st across.

Count: 114 sc.

FO.

Button placement:

Button	Position
Button 1	Between band sts 12 and 13
Button 2	Between band sts 27 and 28
Button 3	Between band sts 42 and 43
Button 4	Between band sts 57 and 58
Button 5	Between band sts 72 and 73
Button 6	Between band sts 87 and 88
Button 7	Between band sts 102 and 103

LEFT BUTTONHOLE BAND AS WORN

Use navy yarn and 3.5 mm hook.

With RS facing, join yarn at upper left front opening and work downward.

Row 1 Pickup: Ch 1. Work 114 sc down the left front opening.

Count: 114 sc.

Row 2: Ch 1, turn. Sc in each st across.

Count: 114 sc.

Row 3 Buttonhole Row: Ch 1, turn. Sc in first 11 sts, *ch 2, sk next 2 sts, sc in next 13 sts; rep from * 6 times, ch 2, sk next 2 sts, sc in final 11 sts.

Count: 114 sts.

Row 4: Ch 1, turn. Sc in each sc and work 2 sc into each ch-2 buttonhole sp across.

Count: 114 sc.

Row 5: Ch 1, turn. Sc in each st across.

Count: 114 sc.

FO.

Buttonholes:

Buttonhole	Position
Buttonhole 1	Over skipped sts 12–13
Buttonhole 2	Over skipped sts 27–28
Buttonhole 3	Over skipped sts 42–43
Buttonhole 4	Over skipped sts 57–58
Buttonhole 5	Over skipped sts 72–73
Buttonhole 6	Over skipped sts 87–88
Buttonhole 7	Over skipped sts 102–103

SHIRT COLLAR

Use navy yarn and 3.5 mm hook.

Work after button bands are complete.

Neckline pickup count:

Area	Count
Right button band top edge	5
Right front neckline top edge	19
Back neck opening	38
Left front neckline top edge	19
Left buttonhole band top edge	5
Total	86

Row 1 RS: Join yarn at upper right front edge. Ch 2. Hdc in each neckline pickup point across.

Count: 86 hdc.

Row 2 WS: Ch 2, turn. 2 hdc in first st, hdc in each st across, 2 hdc in final st.

Count: 88 hdc.

Row 3 RS: Ch 2, turn. Hdc in each st across.

Count: 88 hdc.

Row 4 WS: Ch 2, turn. 2 hdc in first st, hdc in each st across, 2 hdc in final st.

Count: 90 hdc.

Row 5 RS: Ch 2, turn. Hdc in each st across.

Count: 90 hdc.

Row 6 WS: Ch 2, turn. 2 hdc in first st, hdc in each st across, 2 hdc in final st.

Count: 92 hdc.

Row 7 RS: Ch 2, turn. Hdc in each st across.

Count: 92 hdc.

Row 8 Collar Edge: Ch 1, turn. Sc in each st across.

Count: 92 sc.

Without fastening off, work 8 sc down the left short collar edge. Sl st into neckline edge. FO.

Rejoin yarn at right short collar edge. Work 8 sc up the right short collar edge. Sl st into first sc of Row 8. FO.

SHIRT HEM EDGING

Use navy yarn and 3.5 mm hook.

Work after button bands are complete.

With RS facing, join yarn at lower right front corner.

Row 1: Ch 1. Work across lower edge as follows:

- 5 sc across lower edge of right button band.
- 57 sc across right front bottom edge.
- 114 sc across back bottom edge.
- 57 sc across left front bottom edge.
- 5 sc across lower edge of left buttonhole band.

Count: 238 sc.

Row 2: Ch 1, turn. Sc in each st across.

Count: 238 sc.

Row 3 Final Edge: Ch 1, turn. Reverse sc in each st across.

Count: 238 reverse sc.

FO.

SHIRT SLEEVE EDGING

Use navy yarn and 3.5 mm hook.

Work around each sleeve opening.

Round 1: Join yarn at sleeve underarm seam. Ch 1. Work 76 sc around sleeve opening. Sl st to first sc.

Count: 76 sc.

Round 2: Ch 1. Sc in each st around. Sl st to first sc.

Count: 76 sc.

Round 3 Final Edge: Ch 1. Reverse sc in each st around. Sl st to first reverse sc.

Count: 76 reverse sc.

FO.

Repeat for second sleeve.

SHORTS UPPER BODY TUBE

Make 24 granny squares.

Construct as 12 squares around x 2 squares high.

Top row and lower row are listed from center front moving clockwise around the body.

Position	Top Row	Lower Row
1 center front left	N	C
2 front left	C	S
3 front side left	T	N
4 left side	N	L
5 back left	S	T
6 center back left	C	N
7 center back right	N	C
8 back right	T	S
9 right side	L	N
10 front side right	N	T
11 front right	C	L
12 center front right	S	N

Join top row into a 12-square ring.

- 12 joins x 20 sl sts = 240 sl sts.

Join lower row into a 12-square ring.

- 12 joins x 20 sl sts = 240 sl sts.

Join top row to lower row.

- 12 square edges x 19 positions = 228 positions.
- 12 corner joins = 12 sl sts.
- Total row-to-row join: 240 sl sts.

Shorts upper tube measurements:

Area	Count / Measurement
Top opening	12 square edges x 19 = 228 positions
Lower opening	228 positions
Tube height	7.5 in / 19 cm
Tube circumference	45 in / 114 cm

CROTCH BRIDGE

Use cream yarn and 4 mm hook.

Foundation: Ch 20.

Row 1 RS: Sc in 2nd ch from hook and in each ch across.

Count: 19 sc.

Rows 2–12: Ch 1, turn. Sc in each st across.

Count each row: 19 sc.

FO, leaving a 20 in / 50 cm sewing tail.

Finished crotch bridge:

Area	Count / Measurement
Width	19 sc / one square edge
Length	12 rows / 3 in / 7.5 cm

Attach crotch bridge:

1. Mark the center front lower edge between lower-row positions 12 and 1.
2. Mark the center back lower edge between lower-row positions 6 and 7.
3. Sew one 19-st short end of the crotch bridge to the lower center front edge.
4. Sew the opposite 19-st short end to the lower center back edge.
5. Keep the bridge flat and centered.

LEFT SHORTS LEG EXTENSION

Make 6 granny squares.

Join into a 6-square ring.

Layout around left leg:

Position	Square Type
Front inner	N
Front center	C
Front outer	T
Back outer	S
Back center	N
Back inner	L

Join ring:

- 6 joins x 20 sl sts = 120 sl sts.

Attach to left lower leg opening:

- Leg extension top edge: 6 square edges x 19 = 114 positions.
- Left body leg opening: 114 positions.
- Sew or sl st join 1 extension position to 1 body position.

FO.

RIGHT SHORTS LEG EXTENSION

Make 6 granny squares.

Join into a 6-square ring.

Layout around right leg:

Position	Square Type
Front inner	C
Front center	N
Front outer	L
Back outer	T
Back center	C
Back inner	S

Join ring:

- 6 joins x 20 sl sts = 120 sl sts.

Attach to right lower leg opening:

- Leg extension top edge: 114 positions.
- Right body leg opening: 114 positions.
- Sew or sl st join 1 extension position to 1 body position.

FO.

SHORTS WAISTBAND EDGE AND EYELETS

Use navy yarn and 3.5 mm hook.

Join yarn at center back top edge.

Round 1: Ch 1. Work 228 sc around top opening. Sl st to first sc.

Count: 228 sc.

Round 2 Eyelet Round: Ch 1. *Sc in next 3 sts, ch 1, sk next st; rep from * 57 times. Sl st to first sc.

Count: 228 pattern positions.

Round 3: Ch 1. Sc in each sc and ch-1 sp around. Sl st to first sc.

Count: 228 sc.

Round 4 Final Edge: Ch 1. Reverse sc in each st around. Sl st to first reverse sc.

Count: 228 reverse sc.

FO.

SHORTS LEG EDGING

Use navy yarn and 3.5 mm hook.

Work around each leg opening.

Round 1: Join yarn at inner leg seam. Ch 1. Work 114 sc around leg opening. Sl st to first sc.

Count: 114 sc.

Round 2: Ch 1. Sc in each st around. Sl st to first sc.

Count: 114 sc.

Round 3 Final Edge: Ch 1. Reverse sc in each st around. Sl st to first reverse sc.

Count: 114 reverse sc.

FO.

Repeat for second leg.

SHORTS DRAWSTRING

Use navy yarn and 3.5 mm hook.

Foundation: Ch 465.

Cord Row: Sl st in back bump of 2nd ch from hook and in each back bump across.

Count: 464 sl sts.

FO. Knot both ends.

Finished drawstring length: 58 in / 147 cm.

Thread through the waistband eyelet round. Bring both ends out at center front and tie into a bow.

BUTTONS

Use 7 white buttons.

Sew buttons to the right button band as worn.

Button positions:

- Button 1: between band sts 12 and 13.
- Button 2: between band sts 27 and 28.
- Button 3: between band sts 42 and 43.
- Button 4: between band sts 57 and 58.
- Button 5: between band sts 72 and 73.
- Button 6: between band sts 87 and 88.
- Button 7: between band sts 102 and 103.

Sew each button with at least 8 passes of thread.

---

8. STITCH COUNTS

Granny Squares

Section	Count
Total squares	124
Rnd 1	4 clusters + 4 corners
Rnd 2	7 side positions per side
Rnd 3	11 side positions per side
Rnd 4	15 side positions per side
Rnd 5	19 side positions per side
Finished square size	3.75 in x 3.75 in

Shirt Panels

Panel	Layout	Squares
Back	6 wide x 6 high	36
Left front	3 wide x 6 high	18
Right front	3 wide x 6 high	18
Each sleeve	4 around x 2 high	8
Both sleeves		16
Shirt total		88

Shirt Joining Counts

Join Area	Count
One square side join	20 sl sts
Back row-to-row seam	119 sl sts
Front row-to-row seam	59 sl sts
Shoulder seam per side	38 sewing points
Side seam per side	76 sewing points
Each armhole edge	76 positions
Each sleeve top edge	76 positions

Shirt Edging Counts

Edging	Count
Right button band	114 sc per row
Left buttonhole band	114 sc per row
Buttonholes	7
Buttons	7
Collar pickup	86 sts
Collar final row	92 sc
Hem Row 1	238 sc
Hem Row 3	238 reverse sc
Each sleeve edging	76 reverse sc

Shorts Counts

Section	Count
Upper body squares	24
Upper body layout	12 around x 2 high
Upper top opening	228 positions
Upper lower opening	228 positions
Crotch bridge width	19 sc
Crotch bridge length	12 rows
Left leg extension squares	6
Right leg extension squares	6
Each leg extension top edge	114 positions
Waistband Round 1	228 sc
Waistband eyelets	57 eyelets
Waistband final edge	228 reverse sc
Each leg final edge	114 reverse sc
Drawstring	464 sl sts

---

9. PLACEMENT ORDER

Shirt Bottom Layer Pieces

1. Back granny-square panel
2. Left front granny-square panel
3. Right front granny-square panel
4. Left sleeve granny-square tube
5. Right sleeve granny-square tube

Shirt Middle Layer Pieces

1. Shoulder seams
2. Side seams
3. Sleeve attachment seams
4. Button band
5. Buttonhole band
6. Hem edging
7. Sleeve edgings
8. Collar

Shirt Top Layer Pieces

1. White buttons
2. Navy reverse single crochet edging

Shorts Bottom Layer Pieces

1. Shorts upper granny-square tube
2. Crotch bridge
3. Left leg extension ring
4. Right leg extension ring

Shorts Middle Layer Pieces

1. Waistband edging
2. Leg edgings

Shorts Top Layer Pieces

1. Navy drawstring bow

No leaves are used.

No stems are used.

No appliqué flowers are used.

No doily base is used.

No diagonal layout is used.

Shirt Placement Layout

- Back panel is 6 squares wide and 6 squares high.
- Each front panel is 3 squares wide and 6 squares high.
- Shoulder seams use the outer 2 squares on each front panel.
- Back neck opening uses the center 2 squares of the back panel.
- Side seams close the lower 4 square rows only.
- Upper 2 square rows remain open for armholes.
- Sleeves attach to the 76-position armhole edge.

- Button band sits on the right front as worn.
- Buttonhole band sits on the left front as worn.
- Collar sits above the button bands and folds outward.
- Navy edging frames the shirt hem, sleeves, front opening, and collar.

Shorts Placement Layout

- Shorts upper body is 12 squares around and 2 squares high.
- Center front is between positions 12 and 1.
- Center back is between positions 6 and 7.
- Crotch bridge connects lower center front to lower center back.
- Left leg extension uses 6 squares around.
- Right leg extension uses 6 squares around.
- Waistband eyelets sit above the upper row of squares.
- Drawstring exits at center front.
- Navy edging frames the waistband and both leg openings.

---

10. ASSEMBLY

1. Block all squares:
   - Pin each square to 3.75 in x 3.75 in.
   - Keep corners square.
   - Allow all motifs to dry fully before joining.
2. Assemble shirt back:
   - Join 36 squares into a 6 x 6 panel.
   - Keep the row chart orientation correct.
3. Assemble shirt fronts:
   - Join left front into a 3 x 6 panel.
   - Join right front into a 3 x 6 panel.
   - Keep center front edges straight.
4. Sew shirt shoulders:
   - Sew 38 positions on each shoulder.
   - Leave center back neck and inner front top edges open.
5. Sew shirt side seams:
   - Sew lower 4 square rows on each side.
   - Leave upper 2 square rows open for armholes.
6. Assemble sleeves:
   - Join each sleeve into a 4-square-around, 2-square-high tube.
   - Attach each sleeve to a 76-position armhole.
7. Work shirt bands:
   - Work 5 rows on right button band.
   - Work 5 rows on left buttonhole band with 7 buttonholes.
8. Work shirt collar:
   - Pick up 86 neckline stitches.
   - Work 8 collar rows.
   - Fold collar outward.


9. Work shirt edging:
    - Work 238-st hem edging.
    - Work 76-st sleeve edging on each sleeve.
10. Sew buttons:
- Attach 7 white buttons opposite buttonholes.
- Confirm shirt closes evenly.
11. Assemble shorts upper tube:
- Join 24 squares into a 12-around x 2-high tube.
- Keep center front and center back markers in place.
12. Attach crotch bridge:
- Sew one short end to center front lower edge.
- Sew opposite short end to center back lower edge.
- Keep bridge flat.
13. Assemble leg extensions:
- Join 6 squares into the left leg ring.
- Join 6 squares into the right leg ring.
- Attach each ring to its matching leg opening.
14. Work shorts waistband:
- Work 228 sc around top.
- Work 57 eyelets.
- Finish with reverse sc.
15. Work shorts leg edgings:
- Work 114 sc around each leg.
- Finish each leg with reverse sc.
16. Make and thread drawstring:
- Crochet 464-sl-st drawstring.
- Thread through eyelet round.
- Bring ends out at center front.
17. Final blocking:
- Block shirt flat with collar folded.
- Block sleeves evenly.
- Block shorts with waist gathered slightly.
- Shape leg openings evenly.
- Steam lightly or wet block according to yarn label.
- Allow to dry fully before wearing.

---

11. FINAL CHECKLIST


- 124 granny squares are made.
- Every square has 5 rounds.
- Every square has 19 side positions per side.
- Every square is blocked to 3.75 in x 3.75 in.
- Shirt back uses 36 squares.
- Each shirt front uses 18 squares.
- Each sleeve uses 8 squares.
- Shirt shoulder seams are 38 positions each.

- Shirt side seams are 76 positions each.
- Each armhole has 76 positions.
- Each sleeve top edge has 76 positions.
- Right button band has 114 sc per row.
- Left buttonhole band has 114 sc per row.
- Seven buttonholes are made.
- Seven buttons are sewn.
- Collar pickup has 86 sts.
- Collar final row has 92 sc.
- Shirt hem final edge has 238 reverse sc.
- Each sleeve final edge has 76 reverse sc.
- Shorts upper tube uses 24 squares.
- Shorts upper tube has 228 positions at top.
- Crotch bridge has 19 sc across and 12 rows.
- Each leg extension uses 6 squares.
- Each leg opening has 114 positions.
- Waistband has 57 eyelets.
- Waistband final edge has 228 reverse sc.
- Each leg final edge has 114 reverse sc.
- Drawstring has 464 sl sts.
- Navy edging appears on shirt opening, collar, hem, sleeves, waistband, and leg openings.
- Finished shirt chest is 45 in / 114 cm.
- Finished shorts waist adjusts to 28–34 in / 71–86 cm.
- Finished set matches the navy, cream, and taupe patchwork look.



A. 5-ROUND GRANNY SQUARE DIAGRAM

(Full Symbol Chart)



STITCH KEY (US TERMS)

- ○ = ch (chain)
- • = sl st (slip stitch)
- + = sc (single crochet)
- ┬ = hdc (half double crochet)
- ┼ = dc (double crochet)
- ⋔ = 2 dc cluster
- ( ) = ch-2 space (corner)

SQUARE INFO

- 19 side positions per side
- ch-2 corner spaces
- Finish size: 3.75 in / 9.5 cm after blocking

B. COMPLETE MOTIF COLOR MAP & LAYOUT

(How colors are placed in each square)




- Rnd 1 – Color C (Taupe)
- Rnd 2 – Color A (Navy)
- Rnd 3 – Color B (Cream)
- Rnd 4 – Color A (Navy)
- Rnd 5 – Color B (Cream)

SQUARE COUNT SUMMARY


Total Squares = 20 pcs
(Back 4, Front Left 8, Front Right 8)
All squares are joined with
SC (single crochet join)

FULL LAYOUT PREVIEW (FLAT)




C. DETAILED SHIRT CONSTRUCTION (STEP-BY-STEP)

1. JOIN BACK PANEL (4 SQUARES)



2. JOIN FRONT PANELS (8 SQUARES EACH)



3. JOIN SHOULDER SEAMS



Sew or slip stitch join at shoulders.

4. ATTACH SLEEVES



Center sleeves to armholes and join.

5. ADD COLLAR & BUTTON BANDS



Add collar around neckline, then work button bands on both fronts.


6. ADD HEM EDGING



Work 2–3 rnds of sc edging on hem, sleeves, and bottom of button bands.


D. SLEEVE CONSTRUCTION

MAKE 2



Join 4 squares in 2x2 grid.
Sew sleeve seam.
Attach to armhole.

SLEEVE SEAM DIAGRAM



E. JOINING METHOD (SC JOIN)

RIGHT SIDE FACING



Insert hook in corner ch-2 sp of one square and matching ch-2 sp of next square.
Yarn over and pull through, ch 1, sc.
Continue across all edges.


F. BUTTON BAND & FRONT EDGE



Work sc evenly along front edge (approx. 1 row per row).
Band width: 0.9 in / 2.3 cm
(2–3 rows)

Work buttonholes evenly (6 holes).
Buttonhole: ch 2, skip 2 sts.
Space evenly from top to bottom.


G. COLLAR CONSTRUCTION



Attach yarn at neckline.
Work sc or hdc rows evenly around entire neckline.

Depth: 2.5 in / 6.5 cm (6–8 rows)
Work in back loop only for clean edge (optional).

H. SHORTS – DETAILED CONSTRUCTION



SHORTS SIDE VIEW



I. SHORTS CROTCH (GUSSET) CONSTRUCTION

GUSSET STRIP (MAKE 1)



Join 5–7 granny clusters in a row (or adjust to fit).
Join gusset between front and back panels to create crotch opening.

JOINING DIAGRAM




J. WAISTBAND & DRAWSTRING

WAISTBAND (WORKED FLAT & JOINED)



Work hdc or sc rows in the round.
Height: 2.5 in / 6.5 cm (5–7 rows)
Insert elastic or use drawstring only.

DRAWSTRING (PADDED CORD)



Ch 150 (or desired length).
Sl st in back bump of 2nd ch from hook and in each back bump across.

K. FINISHING & EDGING

HEM EDGING (SHIRT & SHORTS)



Work 2–3 rnds of sc around hem, sleeve openings, shorts leg openings.

SLEEVE EDGING




Work sc evenly around sleeve openings.

BOTTON EDGE (BUTTON BANDS)




Work sc along bottom of button bands for a clean finish.

CORNER DETAIL (SQUARE EDGING)



Work 3 sc in corner for smooth turn.

REVERSE SC (CRAB STITCH) FINISH (OPTIONAL)



Work reverse sc around edging for a clean, rope-like finish.

L. YARN COLOR & QUANTITY GUIDE



Color A	Color B	Color C
Dark Navy	Ivory Cream	Warm Taupe / Beige
(420–500 g)	(300–380 g)	(160–220 g)

SUGGESTED YARN
DK Cotton Yarn (Category 3)
100 g = approx. 230–250 m


HOOKS
- 4.0 mm (granny squares)
- 3.5 mm (bands, edging, drawstrings)

NOTIONS
- 7 pcs buttons (14–16 mm)
- Stitch markers
- Yarn needle
- Measuring tape
- Scissors

WOMEN'S PATCHWORK GRANNY CROCHET SHIRT & SHORTS SET

COMPLETE PATTERN – ALL MISSING DETAILS


1. FULL MOTIF DIAGRAM (5-ROUND GRANNY SQUARE)



STITCH KEY (US TERMS)

- ○ = ch (chain)
- • = sl st (slip stitch)
- + = sc (single crochet)
- ┬ = hdc (half double crochet)
- ┼ = dc (double crochet)
- ⋔ = 2 dc cluster (3 dc in same st)
- ( ) = ch-2 space (corner)

2. MOTIF COLOR PLACEMENT GUIDE



- Rnd 1 – Color C (Taupe)
- Rnd 2 – Color A (Navy)
- Rnd 3 – Color B (Cream)
- Rnd 4 – Color A (Navy)
- Rnd 5 – Color B (Cream)


COLOR KEY


- Color A – Dark Navy
- Color B – Ivory Cream
- Color C – Warm Taupe

SQUARE INFO

- 19 side positions per side
- ch-2 corner spaces
- Finish size: 3.75 in / 9.5 cm after blocking

3. SHIRT – COMPLETE PANEL LAYOUT & CONSTRUCTION





4. JOINING METHOD (AS YOU GO)



Place squares with RS facing. Insert hook in corner ch-2 space of one square and matching ch-2 space of next square, sl st. Continue across all edges.


5. CORNER & EDGE DETAILS (SQUARE EDGING)




This gives 19 side positions on each side.

8. SHORTS – COMPLETE CONSTRUCTION






6. COLLAR CONSTRUCTION



Attach yarn at neckline.
Work sc or hdc evenly around entire neckline.
Work 2–3 rows for collar depth (2.5 in / 6.5 cm).
Collar lays flat and fold over.
Work in back loop only for clean edge.

7. BUTTON BAND & BUTTONHOLE DETAILS



Work sc evenly along front edge.
Band width: 0.9 in / 2.3 cm
(2–3 rows).

Work buttonholes evenly (7 holes).
Buttonhole: ch 2, skip 2 sts.
Place evenly to match buttons.

7 BUTTONS (14–16 mm)
Sew on evenly spaced.



9. SHORTS CROTCH GUSSET

GUSSET STRIP (MAKE 1)




Join 5–7 granny clusters in a row (or adjust to fit).

JOINING DIAGRAM



10. WAISTBAND & DRAWSTRING

WAISTBAND (WORKED FLAT)



Work hdc rows in the round or flat.
Height: 2.5 in / 6.5 cm (5–7 rows).
Join ends to form a ring and sew.

DRAWSTRING (PADDED CORD)

Ch 150 (or desired length).
Sl st in back bump of 2nd ch from hook and in each back bump across.

11. HEM, SLEEVE & EDGING DETAILS

HEM EDGING (SHIRT & SHORTS)

Work 2–3 rnds of sc around hem.

SLEEVE EDGING

Work 2–3 rnds of sc around sleeve openings.

BUTTON BAND EDGING)

Work 1–2 rnds of sc around button bands.

BOTTOM EDGE (SHORTS)

Work 2–3 rnds of sc around leg openings.

CORNER DETAIL (SC EDGING)

Work 3 sc in corner for a smooth turn.

REVERSE SC FINISH (OPTIONAL)

Work reverse sc around edging for a clean, rope-like finish.

12. YARN, QUANTITY & TOOLS

Color A	Color B	Color C
Dark Navy	Ivory Cream	Warm Taupe / Beige
(420–500 g)	(300–380 g)	(160–220 g)

SUGGESTED YARN
DK Cotton Yarn (Category 3)
100 g = approx. 230–250 m

HOOKS
- 4.0 mm (granny squares)
- 3.5 mm (bands, edging, drawstrings)

NOTIONS
- 7 pcs buttons (14–16 mm)
- Stitch markers
- Yarn needle
- Measuring tape
- Scissors

GAUGE (BLOCKED)

3.75 in / 9.5 cm
(19 sts per side)

18 sc = 4 in / 10 cm